

Λιμάνι Θεσσαλονίκης Πύλη 10Α

Γενικά Στοιχεία Μεθόδου			
Αρχή δειγματοληψίας	01/05/2014	Διάρκεια δειγματοληψίας	30 days
Λήξη δειγματοληψίας	31/05/2014	Διακοπές / Διαλείμματα	9 days
Εκτέλεση δειγματοληψίας από:			
σύμφωνα με EN 14212			

Ημερομηνία - ώρα		SO <sub>2</sub> Μ.Ο 24ώρου		Μέτρηση σε ισχύ	Παρατηρήσεις
		ppb	μgr/m3		
01/5/2014 00:00:00	01/5/2014 23:59:00	<b>1,29</b>	<b>3,52</b>	Ναι	
02/5/2014 00:00:00	02/5/2014 23:59:00	<b>1,55</b>	<b>4,23</b>	Ναι	
03/5/2014 00:00:00	03/5/2014 23:59:00	<b>1,54</b>	<b>4,21</b>	Ναι	
04/5/2014 00:00:00	04/5/2014 23:59:00	<b>0,86</b>	<b>2,34</b>	Ναι	
05/5/2014 00:00:00	05/5/2014 23:59:00	<b>0,62</b>	<b>1,68</b>	Ναι	
06/5/2014 00:00:00	06/5/2014 23:59:00	<b>1,66</b>	<b>4,52</b>	Ναι	
07/5/2014 00:00:00	07/5/2014 23:59:00	<b>1,05</b>	<b>2,87</b>	Ναι	
08/5/2014 00:00:00	08/5/2014 23:59:00	<b>0,91</b>	<b>2,48</b>	Ναι	
09/5/2014 00:00:00	09/5/2014 23:59:00	<b>1,68</b>	<b>4,59</b>	Ναι	
10/5/2014 00:00:00	10/5/2014 23:59:00	<b>0,83</b>	<b>2,26</b>	Ναι	
11/5/2014 00:00:00	11/5/2014 23:59:00	<b>1,40</b>	<b>3,84</b>	Ναι	
12/5/2014 00:00:00	12/5/2014 23:59:00	<b>0,59</b>	<b>1,61</b>	Ναι	
13/5/2014 00:00:00	13/5/2014 23:59:00	<b>1,10</b>	<b>3,01</b>	Ναι	
14/5/2014 00:00:00	14/5/2014 23:59:00	<b>1,55</b>	<b>4,22</b>	Ναι	
15/5/2014 00:00:00	15/5/2014 23:59:00	<b>1,67</b>	<b>4,56</b>	Ναι	
16/5/2014 00:00:00	16/5/2014 23:59:00	<b>1,14</b>	<b>3,11</b>	Ναι	
17/5/2014 00:00:00	17/5/2014 23:59:00	-	-	Όχι	
18/5/2014 00:00:00	18/5/2014 23:59:00	-	-	Όχι	
19/5/2014 00:00:00	19/5/2014 23:59:00	-	-	Όχι	
20/5/2014 00:00:00	20/5/2014 23:59:00	-	-	Όχι	
21/5/2014 00:00:00	21/5/2014 23:59:00	-	-	Όχι	
22/5/2014 00:00:00	22/5/2014 23:59:00	-	-	Όχι	
23/5/2014 00:00:00	23/5/2014 23:59:00	-	-	Όχι	
24/5/2014 00:00:00	24/5/2014 23:59:00	-	-	Όχι	
25/5/2014 00:00:00	25/5/2014 23:59:00	-	-	Όχι	
26/5/2014 00:00:00	26/5/2014 23:59:00	<b>0,49</b>	<b>1,34</b>	Ναι	
27/5/2014 00:00:00	27/5/2014 23:59:00	<b>1,04</b>	<b>2,83</b>	Ναι	
28/5/2014 00:00:00	28/5/2014 23:59:00	<b>0,84</b>	<b>2,30</b>	Ναι	
29/5/2014 00:00:00	29/5/2014 23:59:00	<b>0,95</b>	<b>2,59</b>	Ναι	
30/5/2014 00:00:00	30/5/2014 23:59:00	<b>0,99</b>	<b>2,69</b>	Ναι	
31/5/2014 00:00:00	31/5/2014 23:59:00	<b>1,23</b>	<b>3,35</b>	Ναι	