

Λιμάνι Θεσσαλονίκης Πύλη 10Α

Γενικά Στοιχεία Μεθόδου					
Αρχή δειγματοληψίας	01/08/2014		Διάρκεια δειγματοληψίας	31	days
Λήξη δειγματοληψίας	31/08/2014		Διακοπές / Διαλείμματα	12	days
Εκτέλεση δειγματοληψίας από:					

Ημερομηνία	PM10		PM2.5	
	24ώρη Μέτρηση	Valid	24ώρη Μέτρηση	Valid
	μgr/m ³		μgr/m ³	
1/8/2014	-	no	-	no
2/8/2014	-	no	-	no
3/8/2014	-	no	-	no
4/8/2014	-	no	-	no
5/8/2014	-	no	-	no
6/8/2014	-	no	-	no
7/8/2014	-	no	-	no
8/8/2014	-	no	-	no
9/8/2014	-	no	-	no
10/8/2014	-	no	-	no
11/8/2014	-	no	-	no
12/8/2014	-	no	-	no
13/8/2014	85,6	yes	50,2	yes
14/8/2014	105,9	yes	75,5	yes
15/8/2014	81,8	yes	49,1	yes
16/8/2014	45,1	yes	34,3	yes
17/8/2014	31,9	yes	19,9	yes
18/8/2014	17,5	yes	11,4	yes
19/8/2014	37,8	yes	26,3	yes
20/8/2014	38,2	yes	24,8	yes
21/8/2014	43,3	yes	28,9	yes
22/8/2014	51,5	yes	34,1	yes
23/8/2014	63,8	yes	43,5	yes
24/8/2014	72	yes	43,3	yes
25/8/2014	47,7	yes	31,1	yes
26/8/2014	42,3	yes	30,8	yes
27/8/2014	54	yes	40,3	yes
28/8/2014	41,9	yes	24,4	yes
29/8/2014	37,8	yes	26,4	yes
30/8/2014	27,2	yes	15,7	yes
31/8/2014	19,6	yes	12	yes