

**TED 026/2019**  
**CALL FOR OPEN TENDER**  
**FOR THE SUPPLY OF TYRES & AIR CHAMBERS**

**SUMMARY OF THE TENDER**

<b>OPEN TENDER</b>	
<b>ECONOMIC OPERATOR</b>	<p><b>THESSALONIKI PORT AUTHORITY SA</b></p> <p>Main activity: Port Operations</p> <p>Address: Within the Port of Thessaloniki</p> <p>PC: 54625 Thessaloniki</p> <p>Tel: 2310593121, Fax: 2310510500</p> <p>Email: <a href="mailto:secretariat@thpa.gr">secretariat@thpa.gr</a></p> <p>Website address: <a href="http://www.thpa.gr">http://www.thpa.gr</a></p>
<b>Bid Closing Date</b>	<b>27.9.2019</b>
<b>Deadline for the Submission of Requests for clarifications</b>	<b>20.9.2019</b>
<b>Estimated Procurement Value</b>	<b>€220,000 (plus VAT)</b>
<b>Award Criterion</b>	Most advantageous bid based on price and delivery time.
<b>Contact persons for information / clarifications</b>	<p><b>On the tender procedure</b></p> <p>Name: Chrissanthi Athanasiou E-mail: <a href="mailto:cathanasiou@thpa.gr">cathanasiou@thpa.gr</a> Tel: +302310593360</p> <p><b>On technical issues</b></p> <p>Name: Anastasia Sachnidou E-mail: <a href="mailto:asachnidou@thpa.gr">asachnidou@thpa.gr</a> Tel: +302310593354</p>

## **PART A: GENERAL & SPECIAL TERMS**

### **ARTICLE 1 – Description of the Physical & Financial Scope of the Contract**

---

#### **1.1 Contract scope**

This Call is about the supply of 283 tyres and 75 air chambers in accordance with the following terms and conditions. Accepted shall be offers for tyres manufactured by **BRIDGESTONE, MICHELIN, GOODYEAR DUNLOP and their subsidiaries**, depending on the case as mentioned in Part B, Article 1 hereof.

#### **1.2 Financial scope**

The estimated contract value amounts to **two hundred twenty thousand euro (€220,000)**, plus 24% VAT. It is noted that during the contract validity period, ThPA S.A. reserves the right to increase the required quantities provided that the cost of the additional tyres will not exceed 10% of the total value of the supply.

#### **1.3 Contract duration**

The tyres will be delivered in parts throughout one year from the signing of the relevant supply contract.

#### **1.4 Award Criterion**

The procurement assignment will be awarded per item, based on the criterion of the most advantageous offer, which will be assessed based on the following criteria:

1. Price
2. 1<sup>st</sup> delivery time

### **ARTICLE 2 – Eligibility – Quality Selection Criteria**

---

#### **2.1 Eligible participants**

**2.1.1.** The participation in the tender is open to natural or legal persons exercising a main activity that is relevant to this Call.

**2.1.2.** The participants must:

- Not be in a state of bankruptcy, liquidation or compulsory receivership.
- Not be convicted by means of a final judgement. In the case of Limited Liability Companies and Limited or General Liability Partnerships, this requirement refers to the Administrators; in the case of Societe Anonymes, this requirement refers to the Chairman and CEO; in all other cases, this requirement refers to the natural persons managing the company for the offences listed below:
  - a) Participation in a criminal organisation, as defined in Article 2(1) of EU Council Joint Action No. 98/733/JHA,
  - b) Bribery, as defined in Article 3 of the Council Act of 26 May 1997(21) and Article 3(1) of Council Joint Action 98/742/JHA,
  - c) Fraud within the meaning of Article 1 of the Convention relating to the protection of the financial interests of the European Communities.
  - d) Money laundering, as defined in Article 1 of Council Directive No. 91/308/EEC, on the prevention of the use of the financial system for the purpose of money laundering.
  - e) embezzlement (article 375 of the Criminal Code)
  - f) fraud (article 386-388 of the Criminal Code)
  - g) extortion (article 385 of the Criminal Code)
  - h) forgery (article 216-218 of the Criminal Code)
  - i) perjury (article 224 of the Criminal Code)
  - j) bribery (article 235-237 of the Criminal Code)
  - k) bankruptcy fraud (article 398 of the Criminal Code)

### **ARTICLE 3 – Clarifications on the Call of Tender**

---

Clarification requests are submitted electronically at the THPA SA Procurement Department at [cathanasiou@thpa.gr](mailto:cathanasiou@thpa.gr), with a copy to: [asachnidou@thpa.gr](mailto:asachnidou@thpa.gr) five (5) working days before expiry of the deadline for submitting tenders at the latest. Clarification requests submitted in other forms shall not be reviewed. The clarifications shall be posted on the THPA SA website [www.thpa.gr](http://www.thpa.gr).

#### **ARTICLE 4 - Means & Time for Submitting Bids**

Tenders are submitted by the economic operators during business days and hours, by no later than **27/09/2019** at 15:00, at the address:

Thessaloniki Port Authority SA  
1st PIER OF THESSALONIKI PORT, PC 54625  
Administration Division – Secretariat Department,

Any tenders submitted late shall not be considered.

#### **ARTICLE 5 – Tender extension, amendment, addition or annulment**

THPA SA holds the right to extend the bid submission date or cancel the award procedure or decide to repeat it at any stage without any liability, cost or penalty, following the decision of its competent body. It also reserves the right to modify the terms of the procedure with transparency.

#### **ARTICLE 6 – Tender Validity Period**

The submitted tenders are valid and binding for participants for a period of **ninety (90) days** from expiry of the deadline for submitting tenders.

The validity of the bid may be prolonged, if requested by ThPA SA, prior to its expiry, for a maximum period of time equal to the initial bid validity period specified in the Call.

#### **ARTICLE 7 – Content of Tenders**

Bids shall be submitted in Greek not subject to terms, requirements, conditions or provisos and comprise the following:

- (a) Participation documents
- (b) Technical tender
- (c) Financial Bid
- (d) The three above elements (a-c) in electronic form

**Bidders may submit an offer for any type and quantity of tyres and air chambers they wish, on the condition that they can cover this requested quantity of products.**

#### **ARTICLE 8 – Participation Documents**

To prove that they fulfil the eligibility criteria, the economic operators must submit the following documents:

- To prove suitability for engaging in the professional activity, they shall submit a certificate of registration in the relevant chamber.
- To prove their lawful incorporation and representation, in the cases when the economic operator is a legal person, the legal establishment and lawful representation documents (such as articles of incorporation, certificate of changes, corresponding Government Gazettes, Board of Directors formal establishment in the case of SA, etc., depending on the participants' legal form). The above documents shall specify the lawful establishment, all relevant amendments to the statute, the person(s) legally binding the company on the date of the tender (legal representative, right of signature, etc.), any third parties authorized to represent the contractor, as well as the term of office of the person(s) and/or the members of the management body/legal representative.
- Solemn statement by the economic operator's legal representative stating that: a) he is fully aware of the content of this Call, which he accepts in full and unconditionally, b) that the offered tyres are fully suitable for their intended purpose according to the technical specifications of the tender and c) if the offered tyres are considered to be unsuitable during their use, they shall be replaced by new suitable ones at the supplier's exclusive expense.

#### **ARTICLE 9 – Technical Bid**

The Technical Bid consists of the following:

- The attached Tyre Statement of Conformity duly filled and signed by the economic operator's legal representative. If the technical features of the offered products diverge from the specifications of the Tender, this must be expressly and clearly stated with a clear & special reference about the

type and extent of divergence. A mere reference to one feature does not constitute an express/clear reference to the divergence. The above also apply for the unit prices that are considered to be higher than the requested ones.

- Original (not copies) brochures (prospectus) of the manufacturers of the offered tyres describing all their technical characteristics. The bidders must indicate on the technical brochures (prospectus) of the manufacturers the types of the offered tyres.
- If the bid is submitted by a commercial company, it is also required to submit a statement of the manufacturer of the offered tyres or the official commercial representative of the tyre manufacturer that it accepts to supply the offered products to the bidder throughout the contract duration and in accordance with the terms of the Tender.

#### **ARTICLE 10 – Financial Bid**

The financial bid shall be drafted according to the attached template (Annex A), bear the bidder's signature and stamp and state:

- the net price of the offered products in euros,
- the 1st delivery time of each type of tyre. Short delivery time shall be positively evaluated
- the offer validity period which cannot be less than 90 days from the tender closing date

#### **ARTICLE 11 - Electronic storage medium**

All the bid elements (participation documents, technical & financial bid) shall also be submitted in electronic form, on an electronic storage medium.

#### **ARTICLE 12 - Language**

The official language of this procedure is the Greek language and all bids shall be prepared in Greek or be accompanied by an official Greek translation. Where there is a discrepancy, the prevailing wording is always the Greek one.

Additional information and technical booklets or other documents – company or not – with special technical *content* may be submitted in English, without having to be accompanied by a Greek translation.

#### **ARTICLE 13 – Bid Opening & Evaluation**

The opening of the bids is made within reasonable time from the expiry of the deadline for submitting bids without the presence of the participants.

During the evaluation, THPA SA may address requests to the participating economic operators to provide clarifications and the economic operators must provide the clarifications within the specified deadlines, as the case may be.

Once the evaluation has been completed, the participants shall be notified on whether their tender has been accepted or rejected.

#### **ARTICLE 14 – Special Terms of the Procurement**

##### **14.1 Contract – Amendments**

After the announcement of the result of the tender, THPA shall enter into contracts with the lowest bidders per case.

Contracts may be amended during their validity period, without the need for a new contract procedure, only with a prior mutual agreement of both parties.

##### **14.2 Good Performance guarantee**

For signing the relevant Contract, it is necessary to submit a Good Performance Letter of Guarantee, the amount of which is defined as 5% of the total contract price, VAT excluded, and is submitted before or during contract signing.

The performance bond shall cover entirely and without exceptions the implementation of all the contract terms and any claim of ThPA SA against the supplier.

The performance bond shall be forfeited in the case where the terms of the contract are violated, as specifically defined.

#### **14.3 Delivery**

The total quantity of tyres shall be delivered in part, within one (1) year from the procurement award, according to the following process.

The tyres shall be delivered in parts at ThPA SA facilities at the supplier's responsibility and expense following a written order. The minimum order for each type of tyre is 25% of the total quantity.

The 1st delivery time shall be the one set in the supplier's offer. The time for the other deliveries shall not exceed five working days from the placement of the order.

#### **14.4 Late delivery**

In case of a late delivery, a fine of **1%** on the contractual value of the items not delivered, for each day of delay, with a maximum of **7%**, is imposed.

#### **14.5. Product warranty**

##### **14.5.1 Product warranty period**

The minimum acceptable period of warranty for the tires of groups 1-8 is set at five (5) years from date of manufacture while for tires of group 9 is set at four (4) years from the date of manufacture. During the warranty period, the Contractor shall restore any damage or malfunction resulting from defective construction or defective material.

##### **14.5.2 Warranty Bond**

A Warranty Bond, the amount of which is set at up to five percent (5%) of the net value of the items to be supplied, shall be submitted upon the first delivery. The Warranty Bond shall have a validity period of 5 years as from the date of the contract signature and shall be returned after the expiry of the warranty period.

If the Contractor fails to comply with his contractual obligations under paragraph 14.5.1 above, the Warranty Bond shall be forfeited.

#### **14.6 Payment method**

The supplier's payment shall be made sixty (60) days from the month the invoice is issued and the acknowledgment, on the document, of receipt by the central warehouse manager.

Invoices shall be issued at the end of each month and shall include all the dispatch notes of the month.

#### **14.7 – Price Adjustment**

The prices shall be stable and fixed throughout the procurement execution.

### **ARTICLE 15 – Dispute Resolution – Applicable Law**

This contract is governed by the Greek and EU Legislation and any dispute that may arise between THPA SA and the Contractor, regarding the execution, implementation of or, in general, the relationships created with this contract shall be settled by the competent courts in Thessaloniki.

## PART B: TECHNICAL TERMS

### 1 Object

These technical specifications concern the supply of 283 tyres, both radial and conventional and 75 air chambers, whose dimensions and basic technical characteristics are listed in the following table.

For the following Categories 1-8, only offers for **BRIDGESTONE, MICHELIN** and **GOODYEAR DUNLOP** tyres are acceptable. For Category 9 below, offers for tyres of sister companies of the above mentioned manufacturers are also acceptable.

During the contract execution, ThPA SA reserves the right to increase the required quantities provided that the increase in the quantities will not raise the cost of the total value by more than 10%.

### A. TYRES

Dimensions/type	SPEED/LOAD INDEX	Indicative type of Tyre or Vehicle	Quantity (pcs)
<b>1 Tyres suitable for container lifts (terminal tractors)</b>			
<b>310/80R22.5 TL</b>	175A8	X-Terminal TL. 175A8, Michelin ,	3
<b>2 Tyres suitable for harbour mobile cranes</b>			
<b>385/95R, 24 TL</b>	170E	VHS *** TL BRIDGESTONE	20
<b>3 Tyres suitable for straddle Carriers of 35-40 tn lifting capacity</b>			
<b>16.00 R 25 TL</b>	205A5	VCHD** TL Bridgestone , X-Straddle TL. 200A5, Michelin , 16.00R25 XZM TL MICHELIN	20
<b>480/95R25 TL</b>	206A5	X-Straddle TL. 200A5, Michelin ,	20
<b>4 Tyres for 16,18, 25, 37 TN forklifts</b>			
<b>12.00R20 TT</b>	176 A5	VCHS *** Bridgestone, Michelin 1200R20 XZM	16
<b>14.00R24 TT</b>	196 A5	VCHS *** Bridgestone, Michelin 1400R24 XZM	10
<b>5 Tyres suitable for wagon lifters</b>			
<b>10.00 R20 TT</b>	166A5	XZM Michelin	2
<b>6 Tyres suitable for HYUNDAI HL 980-9, CAT 980, DOOSAN DL200, CAT 262B loaders</b>			
<b>29.5 R25</b>	L3	➤ Bridgestone VSDL L-5 Extra Heavy Duty ➤ Michelin 29.5 XMINE D2 L-5	3
<b>20.5 R25</b>	L3	XHA2	1
<b>12 -16.5 TL</b>	144A3	➤ 12 -16.5 TL TWEEL SKID STEER MICHELIN. ➤ SK-05 HEAVY DUTY NHS	8
<b>7 Tyres suitable for JCB excavators</b>			
<b>10.5/80R18 TL Rear tyres</b>	132A8	➤ FIRESTONE 280/80R18 IND STL ➤ MICHELIN XMCL	2

Dimensions/type	SPEED/LOAD INDEX	Indicative type of Tyre or Vehicle	Quantity (pcs)
<b>18.4-R26 TL Rear tyres</b>	160 A8	<ul style="list-style-type: none"> <li>➤ FIRESTONE 480/80R26 IND STL</li> <li>➤ MICHELIN XMCL</li> </ul>	2
<b>12.5/80R18 TL Front Tyres</b>	143A8	1 FIRESTONE 340/80R18 IND STL 2 MICHELIN XMCL	4
<b>8 Tyres for 2.5, 3, 5.5 ,8 TN forklifts</b>			
<b>6.50 -10 TT</b>	128 A5	14 PLIES	12
<b>8.15 -15 TT</b>	146 <sup>A5</sup>	14 PLIES	12
<b>8.25-15TT</b>	153 <sup>A5</sup>	18 PLIES	16
<b>9. Tyres suitable for VEHICLES - BROOM SWEEPERS - TANKS- WATER TENDERS</b>			
<b>155 R 12 TL</b>	88/86 L	A/T 20 –Nissan Datsun	4
<b>165/70 R 13 TL</b>	83R	VARIOUS TRUCKS	8
<b>175/65 R 14 TL</b>	90T	NISSAN PRIMERA	4
<b>175/70 R14</b>	84-88T	FIAT STRADA, FIAT FIORINO	22
<b>175/70 R14 C</b>	95T	NISSAN - COVERED TRUCK	6
<b>185/60 R15 TL</b>	84-88T	OPEL COMPO COVERED TRUCK	20
<b>185/70 R 14 TL</b>	102Q	MITSUBISHI L200	4
<b>185/75 R 14 TL</b>	102Q	NISSAN VANETTE	4
<b>195/65 R 16</b>	100/98 T	OPEL VIVARO	4
<b>205/55R16 TL</b>	91V	MERCEDES C 180	4
<b>205/65 R 16 TL</b>	103/101 T	TOYOTA VIVARO	20
<b>205/70 R 15 C TL</b>	106/104 S	HILUX TOYOTA, CITROEN JUMPER	10
<b>215/55 R 17C TL</b>	98W	SUZUKI VITARA	4
<b>235/75 R17,5</b>	132(130M)	BROOM SWEEPER SICAS BRIDGESTONE V-STEEL MIX TCDD	2
<b>245/70 R 16</b>	107T	VW AMAROK	2
<b>255/65R 17</b>	110 T	NISSAN NAVARA	8

Dimensions/type	SPEED/LOAD INDEX	Indicative type of Tyre or Vehicle	Quantity (pcs)
285/ 70R19,5	146(144L)	GARBAGE TRUCK, WATER TENDER, ROAD SWEEPER	4
315/80R22,5	156/150 L	ROAD SWEEPER	2

## **B AIR CHAMBERS**

S/N	Dimensions/type	TECHNICAL REQUIREMENTS	INDICATIVE TYPE	QUANTITY
1	6.50-10	With metallic valve		10
2	8.15-15	With fixed or removable metallic valve	KABAT VS-2, NEXEN TR 75A	20
3	8.25-15	With fixed or removable metallic valve	KABAT V3.02.8,	20
4	12.00-20	With angle removable metallic valve		15
5	14.00-24	With angle removable metallic valve	KABAT V3.02 14,	10

## **2 Manufacturers - Design - Tyres requirements**

2.1 All the offered tyres shall be specially designed for vehicles and the wheeled machinery they are intended for, based on the above table.

2.2 More specifically, the vehicles and the Project Machinery of ThPA SA are generally used on an industrial rough quay carriage and temperatures varying from -5 to 40°C. Consequently, all the offered tyres shall be specially designed for such conditions.

The tyre tread meant for Project Machinery shall be for industrial use - heavy duty, have as large contact surface with the carriage as possible and the necessary form to remove waters (e.g. Water extraction ditches). The tyres intended for loaders and harbour mobile cranes, it is also possible to use tyres suitable for off road use.

The tyres intended for all forklifts shall be specially designed for use in the port facilities with an average speed of 25Km/h approximately. Note that the Load, Speed and Ply Indexes indicated on the technical terms table for all ThPA SA machinery and vehicles, shall be the minimum acceptable ones and that tyres with lower indexes shall be rejected.

The tyres of Group 1 - Lifters and Group 9 - Vehicles, shall be four season ones and shall bear the fuel saving mark and adhesion on wet surfaces with the following minimum tyre requirements:

**(E) for the Fuel Saving category &**

**(D) for adhesion on surface**

2.3 The offered tyres must be manufactured according to ETRTO (EUROPEAN TYRE AND RIM TECHNICAL ORGANISATION) international standards for Europe and Government Gazette 589 Vol.N' of 30.09.1992 (compliance with Directive 92/23/EEC of the Council of the European Communities of 31 March 1992) and 2005/11/EEC/ 16 FEBRUARY 2005 (GG1081/1-08-2005) as currently in force. Furthermore, the tyres of Group 9 - VEHICLES - BROOM SWEEPERS - WATER TENDERS - shall comply with the EC1222/2009 of the European Parliament and the Joint Ministerial Decision GG 2974/B/31-12-2015 on fuel saving and other essential parameters.

2.4 The tyres shall be new and unused and must be manufactured a maximum nine-month prior to delivery. The tyres must be in excellent condition and free from manufacturing defects.

### **3 Fenders - Air Chambers – Spring Rings**

---

- 3.1 The Tube Type (TT) tyres shall be offered and delivered together with the corresponding fenders (safety braces) and air chambers. The cost of each fender and air chamber **shall be included** in the offered unit price of each size of the respective tyre.
- 3.2 The Tubeless (TL) tyres shall be offered and delivered together with the respective elastic rings (O-ring). The cost of each ring is included in the offered unit price of each tyre size.
- 3.3 Apart from the air chambers that will accompany the tyres, the bidders will also submit a bid for the extra air chambers listed on the above table B. The air chambers shall comply with the specifications of the existing legislation and shall be new, undamaged and shall have all the technical features and embossing required.

### **4 Suppliers Responsibility**

---

The submission of the bid presupposes and constitutes an evidence that the supplier was informed about all the types of rims used for the vehicles and machines listed on the table and thus all the offered tyres and air chambers shall be suitable for their intended use, shall fit perfectly to the respective rims and shall bear the necessary air charging valves. To this end, the suppliers can inspect ThPA SA machinery and vehicles after agreement.

#### **ATTACHED:**

- I. TYRE CONFORMITY STATEMENT
- II. FINANCIAL BID FORM

**FRANCO NICOLA CUPOLO**

**CHIEF EXECUTIVE OFFICER**



